WORKER SAFETY SOLUTIONS for more than 85 years











START HERE

BRINGING WORKERS HOME SAFELY SINCE 1936

PHONE ORDER: 800-548-GARD (4273) • FAX: 888-548-GARD (4273)

EMAIL: sales@saftgard.com • www.saftgard.com









YOUR PARTNERS IN SAFETY...

Saf-T-Gard International, Inc. has a rich history of bringing workers home safely since 1936. Remaining privately-held and family-owned and operated, Saf-T-Gard's legacy spans from being small enough to still care and big enough to get the job done for companies ranging from 10-person welding shops to companies with 100,000+ employees to the U.S. Government.

In addition to offering tens of thousands of products covering the full range of personal protective equipment and facility safety from the world's leading manufacturers, Saf-T-Gard is dedicated to serving industries where worker safety and protection from electrical shock are critically important. Our **Voltgard® Test Lab** is the largest, independent, NAIL4PET accredited test lab in the U.S. and performs full-service testing and recertification for 12 different categories of new or in-service rubber insulating electrical safety equipment.

Following are more reasons customers enjoy doing business with us:

- **Quality** Good-better-best. No matter where your needs fall on that spectrum, our product offering delivers unsurpassed value that includes products in compliance with applicable American and Global safety standards.
- On-Site Plant Services We can assist in a variety of on-site plant services, including prescription eyewear programs, PPE vending, respiratory fit testing, eyewash station audits, confined space safety training,
 Justrite® STUD-E™ Workplace Facility Safety Surveys, fall protection training and so much more!
- National Accounts Programs Multi-plant national accounts are serviced through our proven process
 designed to assist with standardization of PPE across facilities while maintaining an understanding that the
 first "P" in PPE is for "personal."
- Convenience Order how you want: Call or click to order online at www.saftgard.com.

SHOP SAF-T-GARD

Experience matters when it comes to your workers' safety and Saf-T-Gard celebrates more than 8 decades of supplying superior safety products for every industry and application!



CLICK FOR A QUICK VIDEO!











CLCK ON THE LOGOS TO VEW PRODUCTS







Start with the Essentials

































7700 SERIES HALF-MASK REUSABLE RESPIRATOR | ITEM # 7700-30

Honeywell

Includes Exhalation Valve, Easily Coverts to PAPR or Supplied Air, Sizes Small, Medium, and Large.

- Designed to provide maximum comfort, fit, and performance
- Latex-free and made from 100% medical-grade silicone
- Various thickness in sealing area for improved comfort and support
- Lower headstraps stretch and move for more comfort without pulling on the facepiece
- Upper headstraps have minimum give to provide secure support



5500 SERIES HALF-MASK REUSABLE RESPIRATOR | ITEM # 5500-30

Includes Exhalation Valve, Easily Coverts to PAPR or Supplied Air, Sizes Small, Medium, and Large.

- Elastomeric half-mask still provides many of the same features found in premium masks
- A wide contoured sealing area offers great fit and various thickness in sealing area deliver improved comfort
- The low "dead air" space limits re-breathing of exhaled air for increased comfort
- Latex-free headstraps stretch and move with the worker while providing optimum support





5400 SERIES FULL FACEPIECE REUSABLE RESPIRATOR | ITEM # 54001



Includes Nose Cup and Welding Attachment, Easily Coverts to PAPR or Supplied Air, Sizes Small and Medium/Large.

- Economically-priced mask delivers the best value you can find in a full facepiece
- Wide sealing area fits more facial types
- Nose cup provides less dead air space and channels exhaled breath out
- Latex-free with no natural rubber proteins which may cause an allergic reaction
- Wide panoramic lens provides optimal field of vision in all directions



7600 SERIES FULL FACEPIECE REUSABLE RESPIRATORS | ITEM # 7600-8A, 7600-8AW

Includes Nose Cup and Speech Diaphragm, Available with or without Welding Attachment, Easily Coverts to PAPR or Supplied Air, Sizes Small and Medium/Large.

- Wide sealing area fits more facial types
- Nose cup provides less dead air space and channels exhaled breath out
- Speech diaphragm is standard to amplify workers' conversations
- Wide panoramic lens provides optimal field of vision in all directions
- Latex-free 100% medical-grade silicone sealing area with dual flange for superior fit and comfort













TYPE I NON-VENTED SHORT **BRIM HARD HATS**

ITEM # NSB20001, NSB20002









HDPE Shell, 4-Point Ratchet Suspension, Optional 4-Point Chin Strap, Non-Vented, Available in White and Yellow Colors with Additional Colors Available upon Request.

- Adjustability features fit multiple head sizes and deliver increased comfort
- "Dual-Locking" mechanism prevents the hard hat from getting loose in normal conditions
- Resistant to temperatures from -22°F to 122°F (-30°C to +50°C)
- Class E (as per ANSI Z89.1-14)
- Certified to the requirements of the ANSI, CE/EN, CSA, and NOM standards

TYPE I VENTED SHORT BRIM HARD HATS | ITEM # NSB21001, NSB21002

HDPE Shell, 4-Point Ratchet Suspension, Optional 4-Point Chin Strap, Vented, Available in White and Yellow Colors with Additional Colors Available upon Request.

- Adjustability features fit multiple head sizes and deliver increased comfort
- "Dual-Locking" mechanism prevents the hard hat from getting loose in normal conditions
- Resistant to temperatures from -22°F to 122°F (-30°C to +50°C)
- Class C (as per ANSI Z89.1-14)
- Certified to the requirements of the ANSI, CE/EN, CSA, and NOM standards





TYPE II NON-VENTED CLIMBING STYLE SAFETY HELMETS ITEM # CSH10001, CSH10002

HDPE Shell with Sweatband, 8-Point Ratchet Suspension, Optional 4-Point Chin Strap, Non-Vented, Available in White and Yellow Colors with Additional Colors Available upon Request.



- Liquid crystal polymer (LCP) yarn in suspension system disperses force transferred from the shell to the user
- Liner is embedded with non-Newtonian material for excellent off-the-crown impact-absorbing performance
- Compatible with accessories such as a welding helmet, visor, faceshield, UV shade, earmuffs, or task light
- 1-way moisture transfer and fast-dry chin strap help elevate user comfort
- Class E (as per ANSI Z89.1-14)

TYPE II VENTED CLIMBING STYLE SAFETY HELMETS | ITEM # CSH11001, CSH11002

HDPE Shell with Sweatband, 8-Point Ratchet Suspension, Optional 4-Point Chin Strap, Vented, Available in White and Yellow Colors with Additional Colors Available upon Request.

- Liquid crystal polymer (LCP) yarn in suspension system disperses force transferred from the shell to the user
- 1-way moisture transfer and fast-dry chin strap help elevate user comfort
- Compatible with accessories such as a welding helmet, visor, faceshield, UV shade, earmuffs, or task light
- Liner is embedded with non-Newtonian material for excellent off-the-crown impact-absorbing performance
- Class C (as per ANSI Z89.1-14)









H100 SAFETY HARNESSES ITEM # H11110021, H111110022, H13110022

Honeywell


Vest Style with Matting or Tongue Leg Buckles and Matting Chest Buckles, Steel Back D-Ring Placement, Sizes Small/Medium and Universal.

- Meets the most common fall protection needs while focusing on value and safety
- Lightweight and comfortable with 5 points of adjustment for a custom fit
- Covered identification labels protects labels during the life of the harness
- Max weight capacity: 420 lbs.
- Meets ANSI Z359.11-2014, OSHA 1910.140, and OSHA 1926.502



H700 FULL BODY CONSTRUCTION COMFORT (CC) AND INDUSTRY COMFORT (IC) SAFETY HARNESSES | ITEM # H7CC2A2, H7IC3A2

Vest Style with Tongue or Quick-Connect Leg Buckles and Quick-Connect Chest Buckles, Aluminum Back and Side D-Rings, Universal Size.





- 1-pull trauma relief step provides a state-of-the-art solution for suspension trauma relief
- Max weight capacity: 420 lbs.
- ANSI/OSHA compliant and CSA approved





H500 INDUSTRY STANDARD (IS) SAFETY HARNESSES

ITEM # H5ISP111002, H5IS311102

Vest Style with Matting or Tongue Leg Buckles and Matting Chest Buckles, Steel Back D-Ring Placement, Universal Size.



- Webbing flexes to accommodate movement and body contours for optimum comfort
- Smart anti-tangle for hassle-free donning experience
- User-friendly lanyard keepers allow users to attach lanyard when not in use
- Max weight capacity: 420 lbs.
- ANSI/OSHA compliant and CSA approved

FALCON+ EDGE SELF-RETRACTING LIFELINE (SRL)

ITEM # MFS-LEP1-02/30FT

Black Color, 30' Length, Galvanized Steel/Polyester Lifeline Material, High Impact-Resistant Nylon Housing, Zinc-Plated Swivel Snap Hook Lifeline Connector and Zinc-Plated Double Lock Carabiner Unit Connector, ANSI Z359.14 Class 2.

- Provides protection for all working at height situations
- Features an integrated shock-absorber pack attached to the end of the lifeline connected to the worker
- Spring retraction tension designed not to pull or drag on a worker
- Dual swivels included on all cable models provide support and leverage
- Max weight capacity: 420 lbs.











FALCON+ SELF-RETRACTING LIFELINES (SRLs)

ITEM # MFS-OGC1-02/20FT, MFS-OGC1-02/30FT



Black Color, 20' or 30' Lengths, Galvanized Steel Lifeline Material, High Impact-Resistant Nylon Housing, Zinc-Plated Swivel Snap Hook Lifeline Connector and Zinc-Plated Double Lock Carabiner Unit Connector, ANSI Z359.14 Class 1.

- Unique side payout design reduces wear on the entry guide bushing and cable for smooth operation
- Spring retraction tension designed not to pull or drag on a worker
- Corrosion-resistant stainless steel and aluminum internal components extend service life
- Dual swivels included on all cable models provide support and leverage
- Max weight capacity: 420 lbs.

TURBOLITE+ SINGLE-LEG PERSONAL FALL LIMITERS (PFLs)

ITEM # MTL-OHW1-01/6FT, MTL-OHW1-01/11FT

Black Color, 6' and 11' Lengths, Vectran Core, Polyester Jacket Lifeline Material, High Impact-Resistant Nylon Housing, Steel Locking Snap Hook Lifeline Connector and Steel Carabiner Unit Connector, ANSI Z359.14 Class 1.


- Well-suited for workers who value mobility on the jobsite and need to reduce fall clearance requirements
- Enhanced graphics, icons, and colors on UV-resistant scratch-proof labeling
- Abrasion-resistant webbing helps provide long service life
- Integral swivel reduces lifeline twisting
- Max weight capacity: 420 lbs.





ITEM # MTL-OHW2-21/6FT, MTL-OHW2-28/6FT

Black Color, 6' Lengths, Vectran Core, Polyester Jacket Lifeline Material, High Impact-Resistant Nylon Housing, Steel Locking Snap Hooks or Aluminum Locking Rebar Hooks Lifeline Connector and G2 Twin Unit Connector, ANSI Z359.14 Class 1.



- Enhanced graphics, icons, and colors on UV-resistant scratch-proof labeling
- Abrasion-resistant webbing helps provide long service life
- Integral swivel reduces lifeline twisting
- Max weight capacity: 420 lbs.

TURBOLITE+ SCORPION SINGLE-LEG PERSONAL FALL LIMITERS (PFLs)

ITEM # MTL-OHS1-01/9FT, MTL-OHS1-11/9FT

Black Color, 9' Lengths, Vectran Core, Polyester Jacket Lifeline Material, High Impact-Resistant Nylon Housing, Steel Locking Snap Hook Lifeline Connector and Steel Carabiner or Steel Locking Snap Hook Unit Connector, ANSI Z359.14 Class 1.



- Offers greater mobility, safety, and versatility when compared to traditional shock-absorbing lanyards
- Can be used as a personal fall limiter or a traditional retractable lifeline
- High-strength stainless steel braking system quickly arrests free falls
- Visual load indicator notifies when the unit must be removed from service
- Max weight capacity: 420 lbs.











BUTYL™ 16-MIL CHEMICAL-RESISTANT GLOVES Honeywell **ITEM # B-161R**

Black Color, Butyl Material, Rolled Bead Cuff, Rough Finish, Unsupported, 11" Length, Sizes 7-9.

- Highest permeation resistance to gas and water vapor
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Meets ASTM D3389-05, ASTM F1790-97, EN374, EN388, EN420, and OSHA 29 CFR 1915.157 standards
- For use in aircraft maintenance, automotive, chemical handling and processing, domestic preparedness, laboratory, and hazmat industries

BUTYL™ 13-MIL CHEMICAL-RESISTANT GLOVES | ITEM # B-131

Black Color, Butyl Material, Rolled Bead Cuff, Smooth Finish, Unsupported, 11" Length, Sizes 7-11.

- Exceptional resistance to a broad range of toxic chemicals for use in many critical applications
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Multi-dip manufacturing process provides multiple layers of polymer (like a glove within a glove)
- Highest permeation resistance to gas and water vapor



NOW







NORTHFLEX-COLD GRIP™ PVC COATED INSULATED GLOVES **ITEM # NF11HD**

7-Gauge Blue Nylon Outer Shell, Thermal Interior, Black PVC Palm and Full-Finger Coating, Sizes 7-11.

- Recommended for temperatures down to -15°F (-26°C)
- Foamed PVC coatings are soft, flexible, and offer abrasion resistance comparable
- Open surface texture clears liquids from surfaces and enables a very firm wet grip
- For use in applications where workers need protection from the cold but still require dexterity

NORTHFLEX RED™ PVC COATED GENERAL PURPOSE GLOVES

ITEM # NF11

15-Gauge Red Nylon Shell, Black Foamed PVC Palm Coating, Sizes 6-11.

- Ultra-lightweight general purpose glove that is stretchy and form fitting
- The nylon shell material helps wick away moisture and provides superior comfort
- PVC coating is soft, comfortable, and flexible yet able to withstand harsh abrasion applications
- Foamed PVC open surface texture squeegees liquids from surfaces to enable a firm wet or dry grip













CORESHIELD™ NITRILE COATED CUT-RESISTANT GLOVES | ITEM # 25-0913B



15-Gauge Black HPPE/Stainless Steel Shell, Black Smooth Nitrile Palm Coating, ANSI/ISEA 105-2024 Cut Level A5, ANSI/ISEA 105-2024 Abrasion Level 4, ANSI/ISEA 105-2024 Puncture Level 3, Sizes 6-11.

- CoreShield™ engineered yarn delivers comfortable, skin-friendly cut protection
- Smooth nitrile coating is liquid repellent and provides dry grip
- Longer cuffs and a reinforced thumb increase protection
- Silicone-free and touchscreen resistive and capacitive
- For use in manufacturing, automotive, metal stamping, glass handling, construction, and logistics industries



CORESHIELD™ MICROFOAM NITRILE COATED CUT-RESISTANT GLOVES | ITEM # 24-0513B

13-Gauge Black HPPE/Basalt Shell, Black Microfoam Nitrile Palm Coating, ANSI/ISEA 105-2024 Cut Level A4, ANSI/ISEA 105-2024 Abrasion Level 6, ANSI/ISEA 105-2024 Puncture Level 3, Sizes 6-11.


- CoreShield™ engineered yarn delivers comfortable, skin-friendly cut protection
- Microfoam nitrile coating provides 360° breathability and excellent grip
- Longer cuffs and a reinforced thumb increase protection
- Silicone-free and touchscreen resistive and capacitive
- For use in manufacturing, automotive, metal stamping, glass handling, construction, and logistics industries




PERFECT FIT ANSI/ISEA 105-2024 CUT LEVEL A3 GLOVES

ITEM # NPF23-0113G

13-Gauge Black/Green HPPE/Basalt Shell, Gray Polyurethane Palm Coating, ANSI/ISEA 105-2024 Cut Level A3, ANSI/ISEA 105-2024 Abrasion Level 6, ANSI/ISEA 105-2024 Puncture Level 3, Sizes 6-11.






- QR code on care label gives quick access to technical information
- For use in automotive, machinery and equipment, metal fabrication, warehousing and logistics, manufacturing, construction, and transportation industries



ITEM # NPF24-0113G





- Lightweight, glass fiber-free, and coated with a specialty engineered polyurethane
- Polyurethane coating is designed with a low level of dimethylformamide (DMF) which protects at a higher level
- QR code on care label gives quick access to technical information
- For use in automotive, machinery and equipment, metal fabrication, warehousing and logistics, manufacturing, construction, and transportation industries







PROTÉGÉ SAFETY GLASSES

ITEM # S-4200HS, S-4201HS, S-4202



Available in Clear, Gray, and SCT-Reflect 50 Colors in HydroShield® Anti-Fog or Ultra-dura® Anti-Scratch Lens Coating Options.

- Accommodates a wide range of users with a secure, flexible wraparound brow
- Ultra-light design that weighs only 27.5 grams
- Soft, clear nose pads help to prevent slippage; temple tip pads provide a secure fit and impressive comfort
- Lenses offer 99.9% UV protection and meet ANSI Z87+ safety standards

AVATAR™ PLUS SAFETY GOGGLES

ITEM # AG01CLHSI, AG01CLHS

Black/Cool Gray Frame and Clear Lens with HydroShield® Anti-Fog Coating, Available with Quick-Adjust Fabric Headband or Quick-Adjust Neoprene Headband.

- Modern design and lightweight construction provide protection, performance, and comfort on the job
- Ensures fog-free vision in diverse and challenging working conditions
- Polycarbonate, toric lens and polypropylene, elastomer goggle body
- Easy and economical lens-replacement system
- Meets ANSI Z87+ safety standards







AVATAR™ PLUS SAFETY GLASSES

ITEM # ASO1CLHS, ASO1AMHS

Available in Amber and Clear Lens Colors in HydroShield® Anti-Fog Coating.

- Includes a contoured shape, sporty look, and comfortable feel to enhance worker well-being and productivity
- Polycarbonate lens material and polycarbonate and thermoplastic elastomer
- Flexible, textured nose, hollowed, micro-textured temples, and vented eyebrow pad
- Dielectric
- Meets ANSI Z87+ safety standards and is for use in manufacturing, construction, utilities, and oil and gas industries

HYPERSHOCK® SAFETY GLASSES

ITEM # S-2940HS. S-2941HS

Available in Clear and Gray Lens Colors in HydroShield® Anti-Fog Coating.

- Polycarbonate lens
- Lightweight, wraparound full frame, streamlined temple, soft, molded nosepiece, and temple inserts
- Ideal for indoor/outdoor use and is 100% dielectric
- Meets ANSI Z87+ safety standards







W Justrite

Safety Group

Start with the Essential...





SURE-GRIP® EX 30-GAL OUTDOOR SAFETY CABINETS FOR FLAMMABLES

ITEM # 813020, 813000

Yellow Color, 44" H x 43" W x 18" D, Available with Self-Close or Manual-Close Doors, 1 Shelf, FM Approved, Complies with OSHA and NFPA.

- 18-Gauge steel double wall construction has 16x more corrosion resistance than regular steel
- Slanted top with rain gutter guides rain or snow away from the cabinet opening
- Continuous stainless steel piano hinges ensure doors close smoothly and reliably
- Stainless steel paddle handle lock with 3-point latching system keeps contents secure
- Extra hem on door for seal protection prevents rainwater from getting inside the cabinet



SURE-GRIP® EX 30-GAL SAFETY CABINETS FOR FLAMMABLES, 1 SHELF | ITEM # 893020, 893000

Yellow Color, 44" H x 43" W x 18" D, Available with Self-Close or Manual-Close Doors, FM Approved, Complies with OSHA, NFPA 30, NFPA 1, and IFC.



CLICK HERE FOR A QUICK VIDEO!

- Designed for the safe storage of chemicals and flammable liquids
- Fire-resistant, leak-tested design
- U-Loc™ handle does not require manual rotation to engage the mandatory latch
- SpillSlope® shelf directs spills to the back and bottom into a 2" leak-tested sump
- Lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
- Additional features include dual vents with flame arresters, 4 adjustable self-leveling feet, and a built-in grounding connector



SURE-GRIP® EX 45-GAL AND 60-GAL SAFETY CABINETS FOR FLAMMABLES, 2 SHELVES | ITEM # 894520, 894500, 896020, 896000

Yellow Color, 65" H x 43" W x 1" D (45-Gal) and 65" H x 34" W x 34" D (60-Gal), Available with Self-Close or Manual-Close Doors, FM Approved, Complies with OSHA, NFPA 30, NFPA 1, and IFC.

- Designed for the safe storage of chemicals and flammable liquids
- Fire-resistant, leak-tested design
- U-Loc™ handle does not require manual rotation to engage the mandatory latch
- SpillSlope® shelves direct spills to the back and bottom into a 2" leak-tested sump
- Lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
- Additional features include dual vents with flame arresters, 4 adjustable self-leveling feet, and a built-in grounding connector

ORIGINAL SMOKER'S CEASEFIRE® OUTDOOR ASHTRAY

ITEM # 26800B, 26800D, 28600G, 26800, 26800T

Flame-Retardant Polyethylene Material, 4-Gal, 38 1/2" H x 16 1/2" OD, FM Approved, ADA-Compliant, Available in Adobe Beige, Deco Black, Forest Green, Pewter Gray, and Terra Cotta Colors.

- Safely collects cigarette butts reducing the risk of fire
- Large head dissipates heat from butts and keeps the rain out
- The long internal neck cavity minimizes clogging
- Internal drip lid prevents tar condensation from escaping the steel bucket
- Unscrew the back knob of the ashtray to lift the lid and empty the bucket into the trash















TYPE I STEEL SAFETY CAN FOR FLAMMABLES





Start with the Essential.

ITEM # UI50FS

Red Color, 5-Gal, Steel, 13 1/2" H x 12 1/2" OD, Funnel, UL Listed and FM Approved, Complies with OSHA, NFPA, and CARB.

- Provides a safe and convenient way to carry, pour, and store flammable liquid or fuel
- Seamless, 24-Gauge, hot dip, galvanized steel construction
- Self-closing, leak-tested lid prevents spills
- Non-sparking flame arrester protects against explosions
- Funnel attachment for spill-free fueling of containers with small openings

ACCUFLOW™ TYPE II STEEL SAFETY CAN FOR FLAMMABLES

Red Color, 5-Gal, Steel, 17 1/2" H x 11 3/4" OD, 9" L x 1" OD Hose, Approved by FM, UL/ULC, and TUV; Complies with OSHA and NFPA Requirements.





Color-coding avoids accidents

ITEM # 7250130

- Stainless steel flame arrester prevents flashback ignition
- Easy-to-use Safe-Squeeze® trigger for controlled pouring
- 2-openings; 1 for targeted pouring, 1 with ergonomically designed lift-lever for easy filling



SPILL PROTECTION PALLET WITH DRAIN

Yellow Color, 66-Gal, High Density Polyethylene (HDPE), 51 1/4" W x 51 1/4" D x 7 3/4" H, Stores up to 4 Drums, Meets SPCC and EPA Requirements.



- Protects workplaces from incidental spills
- Includes a drain and easily removable black HDPE flat top grating
- Weighs 67 lbs., with a load capacity of 8,000 lbs.
- The modular design allows for multiple configurations with other Eagle spill pallets
- Forklift pockets make it easy to relocate throughout your facility

LAB PACK/OPEN HEAD BARREL DRUM | ITEM # 1601MB

Blue Color, 30-Gal, High Density Polyethylene (HDPE), 21 1/8" D x 28 1/2" H, Metal Lever-Lock Closure, 1H2/X120/S, 1H2/Y180/S UN/DOT Rating.



- Durable and lightweight, weather-, and chemical-resistant
- Ideal for safe storage, handling, and transportation of hazardous materials, spill containment, and cleanup of hazardous materials, original shipping container, bio waste disposal, and incineration
- Use with smaller, non-damaged bottles, cans, carboys, and 5-Gal pails
- If used with leaking materials, must pack with sufficient sorbents NO FREE LIQUIDS











OSHA DANGER TAGS BY-THE-ROLL: DO NOT OPERATE **ITEM # TAR110, TAR121**

10-Mil PF-Cardstock, English, Tags Measure 6 1/4" H x 3" W with 3/8" Hole, Available in Quantities of 100 Tags Per Roll and 250 Tags Per Roll.

- Portability allows you to carry a roll of tags wherever needed
- Simple as pulling out the roll, tearing off the tag, and using it
- Place the dispenser in a central location, on a work cart, or carry to wherever needed


DO NOT OPERATE


Box features perforated center hole for mounting

STOPOUT® STANDARD LOCKOUT CENTERS COMBO KIT | ITEM # KST300

Red Color, Plastic, 6-Padlock, 27" H x 54" W.







- Clear poly pocket measures 4 3/4" x 3 5/8" x 2" D to hold lockout tags and ties
- Includes 69 different items



PORTABLE GROUP LOCKOUT BOX | ITEM # KCC617

Red Color, Steel, 12-Padlock, 6" H x 10" W x 4 1/4" D.



- Store the keys of locked-out devices in the lock box, controlled by foreman or leader
- Lockable closure (padlocks sold separately)
- Handle for portability
- Slot style lock box has 12 slot holes on top lid, allowing workers to secure personal padlocks (sold separately)

OSHA DANGER SAFETY SIGN: HIGH VOLTAGE ITEM # MELC113VS, MELC113VA,

MELC113VP, MELC114VS, MELC114VA, MELC114VP

English, Available in 7" x 10" and 10" x 14" Sizes in Adhesive Vinyl, Aluminum, and Plastic Materials.





- Generalized sign warns of high voltage area
- Indicates a hazardous situation that, if not avoided, will result in death or serious injury
- Traditional OSHA-style signs, tags, and labels are the most widely recognized design format
- Place sign in areas of high voltage equipment to prevent injuries











NOW





Black Color, 5/8" Thickness, Closed Cell PVC/Nitrile Foam Blend, Wet/Dry and Oily Areas, Structured Pebble Pattern Surface, Beveled Edges on All Sides, Available in 2' x 3', 3' x 3', 3' x 4', 3' x 5', 3' x 6', and 3' x 8' Sizes.

- Designed especially for ease of handling and ergonomic comfort
- Does not absorb liquids and is highly resistant to greases, oils, animal, and vegetable fats
- Solid for dry areas and perforated drainage holes remove liquid and debris for worker platform
- Non-allergenic, silicone-free compound
- For use in areas where occasional overspray and dripping occur as well as in areas where mats are regularly moved for cleaning

SANITOP® ANTI-FATIGUE DRAINAGE MATS | **ITEM # 562**

Black or Red Colors, 1/2" Thickness, Rubber Compound, Wet/Dry and Greasy Areas, Large Drainage Holes Surface, Molded Beveled Edges on All Sides, Available in 3' x 5', 3' x 10', and 3' x 20' Sizes.

- Made from a durable rubber compound to withstand harsh chemicals while creating a slip resistant surface
- Available in general purpose (black) and heavy-duty nitrile (red) rubber compounds
- A large and small hole drainage system channels liquid and debris away from the work area
- Molded beveled edges on all 4 sides eliminates trip hazards
- For use in wet environments in many industrial or food service applications

10-GAL SELF-CONTAINED EYEWASH STATION | ITEM # 10GFEW

Hi-Viz Orange Color, PVC, Gravity-Fed, 29 1/2" H x 18" W x 7 1/4" D.

- Suitable wherever continuous water is not available no plumbing needed
- Supplies a continuous, controlled flow that exceeds the ANSI Z358.1 standard
- Concealed mounting bracket makes moving and relocating easy
- Simple to use with pull-down activation handle
- Easy to maintain wide fill opening enables quick inspection, cleaning, and filling

16-GAL SELF-CONTAINED EYEWASH STATION | ITEM # 16GFEW

Green Color, PVC, Gravity-Fed, 25 3/25" H x 21 13/50" W x 11 3/10" L.

- Suitable wherever continuous water is not available no plumbing needed
- Supplies a continuous, controlled flow that exceeds the ANSI Z358.1 standard
- Concealed mounting bracket makes moving and relocating easy
- Simple to use with pull-down activation handle
- Easy to maintain wide fill opening enables quick inspection, cleaning, and filling













GENERAL PURPOSE UTILITY WHEEL CHOCK

ITEM # UC1500-4.5



Hi-Viz Orange Color, Single Unit for Tires up to 46" OD and Gross Vehicle Operating Weight up to 50,000 lbs., 11 1/2" L x 9" W x 8 1/2" H.

- Manufactured with durable, weather-resistant, lightweight polyurethane
- Resistant to oils, fuels, and solvents
- Recessed carrying handle
- Mounting hole for ropes or chains
- For use with over-the-road trucks, trailers, pickups, and utility vehicles

GUARD DOG® GENERAL PURPOSE CABLE PROTECTOR, 3 CHANNEL

ITEM # GD3X225-O/B

Orange/Black Color, All-Weather Polyurethane Construction, Protects Cables and Hoses Up to 2 1/4" OD, Dog-Bone® Connectors Extend to Any Desired Length, 28,420 lbs. Load Capacity Per Axle, 36" L x 20" W x 3" H.

- Protects valuable electrical cables, cords, and hose lines from damage
- Reinforced hinged lid for easy cable placement
- Patented 5-bar tread surface for maximum traction
- Modular interlocking design for easy setup
- For use in amusement parks, entertainment venues, sporting events, and most public, commercial, industrial, construction, and utility applications




PARK-IT® 6' PARKING CURB | ITEM # GNRS1610YB

Black/Yellow Color, 100% Recycled Rubber, Resistant to UV Light, Moisture, Oil, and Extreme Temperatures, Needs 4 Spikes and 4 Bolts, 72" L x 6" W x 4" H.

- Effectively stops cars from pulling into parking spots
- Resistant to tire scuffing and will not chip, crack, fade, crumble, rot, or deteriorate
- Includes in-molded, highly reflective yellow tape to ensure visibility and pedestrian safety
- Stops are pre-drilled with holes
- Flex slightly to conform to the contour of uneven surfaces and gravel

MUD-TRAKS® LAWN PROTECTION MAT ITEM # N4596HD

Tan Color, Fiberglass, Diamond Tread Surface on Both Sides, Rope Handles, 35,000 lbs. or 18 Ton Load Capacity, 96" L x 45" W x 3/10" H.



- Includes diamond tread surface on both sides for optimal grip and forward motion of vehicles
- Does not conduct electricity, is not affected by water, chemicals, or temperature, and is easy to load, unload, store, and lift
- For use in the heavy construction, civil engineering, transmission, utilities, and oil and gas industries











NOVAX® LOW VOLTAGE RUBBER INSULATING GLOVES | ITEM # 150-0-11





Black Color, 11" Length, Class 0, Low-Voltage, Straight Cuff, Silicone-Free, Meets ANSI/ASTM D120 Standard, Sizes 7-12.

- Natural rubber construction offers the required dielectric properties combined with flexibility, strength, and durability
- Contoured shape reduces hand fatigue
- Individually numbered and stamped with factory manufacturing date
- For use in power generation, electrical contractor, hybrid automotive repair/service, hybrid automobile manufacturing, industrial plant maintenance, and utilities applications



CLICK HERE FOR A QUICK VIDEO!



MAXIFLEX® ULTIMATE™ NITRILE COATED GENERAL PURPOSE GLOVES | ITEM # 34-874

15-Gauge Gray Nylon/Elastane Shell, Black Nitrile Palm Coating with Microfoam Grip, ANSI/ISEA 105-2024 Abrasion Level 4, Sizes 2XS-2XL.

Microfoam nitrile coatings are compatible with light oils and provide a good grip and excellent abrasion resistance



CLICK HERE FOR A QUICK VIDEO!

ITEM # 715SNFTP

- Patented Microfoam nitrile coating offers 360° breathability
- Silicone-free and latex-free
- 25% thinner than most foam nitrile gloves on the market while offering twice the mechanical performance
- Complies with FDA food handling requirements 21 CFR, Part 177

POSIGRIP® NITRILE COATED GENERAL PURPOSE GLOVES

15-Gauge Gray Nylon/Spandex Shell, Black Nitrile Palm Coating with Foam Grip, ANSI/ISEA 105-2024 Abrasion Level 4, Sizes 7-10.

- Seamless 1-piece nylon/spandex shell offers increased comfort, finger dexterity, and breathability
- Foam nitrile coating is breathable and durable, designed with a cell structure that disperses fluids on contact for an improved grip
- Knit wrist helps prevent dirt and debris from entering the glove
- Color-coded hems for easy size identification
- Washable, resistant to chemicals, water, and UV light





PIP® HI-VIZ LEATHER PALM GLOVES ITEM # HVY5555

Green Premium Grain Pigskin Leather with Fluorescent Yellow Nylon Back and Wing Thumb, Cut and Sewn, Natural Thermal Lining, Rubberized Safety Cuff, Sizes Medium-XL.

- Top grain pigskin leather provides great breathability, becomes softer with use, and withstands moisture without stiffening, and nylon fabric back provides breathability and flexibility
- Gunn cut pattern delivers excellent durability, wear, and comfort, and wing thumb increases comfort in open-handed work
- Reflective stripe on knuckle strap and cuff provides workers with greater visibility in high-risk and low-light applications
- Rubberized fabric safety cuff helps protect the wrist, allows for fast removal, and water resistance
- For use in farming, construction, machine operation, and refrigeration cold weather applications





DYNAMIC WHISTLER™ TYPE I HARD HATS

ITEM # 280-HP241R/DG, 280-HP241R/G, 280-HP241R/LG, 280-HP241R/O, 280-HP241R/R, 280-HP241R/W, 280-HP241R/Y

HDPE Shell with Foam Sweatband, 4-Point Ratchet Suspension, Non-Vented. Available in Dark Gray, Green, Light Gray, Orange, Red, White, and Yellow Colors.

- Lightweight shell made with UV stabilized HDPE reduces worker fatigue and includes a rain trough for extra convenience in adverse weather conditions
- 4-Point quick release suspension with strong textile straps and crown comfort pad provides a comfortable and secure fit
- SURE LOCK wheel adjustment system for 1 hand size adjustments
- Universal accessory slots accommodate a variety of eye, face, and hearing protection products
- Meets ANSI/ISEA Z89.1 Type I and CSA Z94.1 Type I requirements and fulfills Class E Electrical Insulation requirements (20,000 volts)



PIP® TYPE R CLASS 3 FR-TREATED VEST | ITEM # 305-HSVPFRLY

Hi-Viz Yellow Color, Polyester Mesh Material (Treated to Prevent After-Flame) with FR 2" 2-Tone Reflective Tape, 2 Pockets, Sizes Small/Medium-4XL/5XL.

- Polyester mesh treated material to prevent after-flame good for up to 25 washes
- FR 2" 2-tone tape, 2 internal lower pockets, and hook and loop closure
- Not designed for use in an Arc flash or flash fire applications
- Tested to ASTM D6413
- For use in work conditions that require Hi-Viz safety apparel to be worn with minimal flame-retardant qualities

PIP® TYPE R CLASS 2 SURVEYOR VEST | ITEM # 302-0500Y

Hi-Viz Yellow Color, Solid Front with Polyester Mesh Back, 2" 2-Tone Reflective Tape, 11 Pockets, Sizes Medium-3XL.



- Solid front and polyester mesh back for breathability
- 2" 2-tone reflective tape for optimum visibility, 2 mic tabs with reinforced stitching, and zipper closure
- 2 lower external flap pockets, 2 internal lower pockets, and 1 chest radio pocket
- 1 chest pocket with 4 pen pockets in front
- For use in construction, municipalities, shipyards, and anywhere Hi-Viz apparel is necessary





FOOD PRO BULLET™ METAL DETECTABLE EARPLUGS

ITEM # 267-HPF210D

Disposable, Corded, Metal Detectable, Blue Color, NRR 32 dB.



- Consistent cellular structure for optimal expansion recovery time delivers a custom, uniform fit
- Smooth closed cell outer layer prevents debris build-up
- Soft and comfortable PowerSoft™ foam supports all-day comfort
- For use in food industry, laboratory, canning and recycling, catering, clean room, and pharmaceuticals applications







GRIPPAZ™ FOOD PLUS 8-MIL DISPOSABLE GLOVES | ITEM # 67-308






Blue Color, Nitrile Material, Beaded Cuff, Fish Scale Grip, Reversible Design, Powder-Free, 21 CFR / FDA Compliant for Direct Food Contact, 12" Length, Sizes Medium-5XL.

- Patented design on the inside and outside of glove provides excellent grip for handling wet, slippery food
- 8-Mil proprietary nitrile blend with patented fish scale pattern is more tear-resistant and puncture-resistant than conventional single-use disposable gloves
- ASTM D6978 Chemotherapy Drug Tested Protection against Fentanyl ESD Safe, Surface Resistance per ASTM D257, Static dissipative range at 10⁸ ohms, 12⁸RH, 48hrs @100Volts
- Specially-formulated for excellent performance with fatty foods and for use in inspection, assembly and inspection, equipment maintenance and repair, painting and printing, and automotive applications

PIP® POLYPROPYLENE STANDARD WEIGHT LAB COAT | ITEM # 3512



- Spunbond polypropylene material offers a high level of comfort and breathability
- Full-length lab coat coverage to top of thigh
- Elastic wrist for secure fit
- Snap buttons for quick donning
- For use in manufacturing, pharmaceuticals, cleaning, and food processing applications

ZENON Z12R™ READERS SAFETY GLASSES | ITEM # 250-27-0010, 250-27-0015. 250-27-0020, 250-27-0025

Clear Lens Color with Anti-Scratch Coating and Gray Rubber Co-Molded Temples in Diopters Ranging from +1.0 - +2.5.



- Magnification readers glasses are for the worker who needs to see up close
- The 28 mm wide reading magnifier provides the worker with enough lens area to view work throughout the day
- Due to its lightweight, rimless design and thin, rubberized temples, the Z12R[™] is one of the best fitting readers on the market today
- Molded nose bridge fits the vast majority of users
- Meets the High Impact Requirements of ANSI Z87.1+

BOUTON® OPTICAL LENS CLEANING TOWELETTE DISPENSER

ITEM # 252-LCT100

Single-Use, Silicone-Free, Pre-Moistened Lens Cleaning Packets, Individually Foil Packed in Self-Dispensing Box of 100 Towelettes.



- Anti-fog, anti-static, anti-streaking formula for plastic, glass, or polycarbonate lenses
- Individually foil packaged
- Dispenser can also be easily placed on walls









N95 PARTICULATE RESPIRATORS

ITEM # 8210V, 8200, 8511, 8210

Non-Oil, at Least 95% Filtration Efficiency.

- Designed to meet NIOSH certification standards
- Some models available with 3M™ Cool Flow™ Exhalation Valve
- Adjustable noseclip options help provide a custom seal
- Available with fully adjustable buckle straps or dual elastic headbands for maximum comfort and effectiveness
- 3M[™] proprietary filter media designed for ease of breathing





ULTIMATE FX FULL FACEPIECE REUSABLE RESPIRATOR

ITEM # FF-400

Includes 3M™ Cool Flow™ Valve, Compatible with Certain 3M™ Supplied Air and PAPR Systems, Sizes Small, Medium, and Large.

- 6-strap harness helps provide a secure, comfortable fit
- Head cradle helps reduce pressure points and hair pulling
- Silicone face seal helps provide comfort and durability, and is easy to clean
- Large lens for excellent field of vision, and treated with Scotchgard™ Protector to help cause some liquids to bead up for easier removal
- Meets the requirements of ANSI Z87.1-2003 standard for eye and face protection

E-A-R™ CLASSIC™ EARPLUGS ITEM # 311-1101, 312-1201, 310-1001

Disposable, Available in Corded and Uncorded Styles, in Poly Bag or Pillow Pack Options, all NRR 29 dB.





- Proprietary, soft, slow-recovery foam is comfortable and helps with earplug fitting
- Conforms to the shape of the ear canal for enhanced comfort and wearability
- Moisture- and flame-resistant design
- Bright yellow color allows supervisors to conduct a quick visual hearing protection compliance check
- Test compatible with 3M™ E-A-Rfit™ Validation System





PELTOR™ X5 EARMUFFS | ITEM # X-5P3E, X-5A

Black/Black Color, Available in Cap-Mounted and Over-the-Head Styles, NRR 31 dB.

- High-performance hearing protectors designed for very high noise environments
- The high attenuation provided by these earmuffs is a result of a combination of specially-formulated foam in the earcups and cushions with an innovative spacer and cup design
- Delivers comfort, design, and protection in one groundbreaking earmuff line
- Earcup pivot points tilt for optimum comfort and efficiency
- Replaceable ear cushions and foam liners help ensure acceptable noise reduction, hygiene, and comfort







VIRTUA™ PROTECTIVE EYEWEAR

ITEM # 11326, 11327, 11328, 11228, 11329

Available in Clear, Gray, and Gray I/O Mirror Lens Colors in Anti-Scratch, Uncoated, or Anti-Fog/Anti-Scratch Coating Options.

- Lightweight, unisex design that combines versatility and value
- With wraparound coverage, a durable polycarbonate construction, and a variety of coating options, this eyewear delivers protection in a comfortable, contoured fit
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm
- Meets the High Impact Requirements of ANSI Z87.1 and the Impact-Rated Protector requirement of the ANSI-ISEA Z87.1-202 Standard







RATCHET HEADGEAR | ITEM # H-8A

Blue Color, Thermoplastic Material, Ratchet Suspension, 6" x 9".

- Unique system permits window replacement in seconds, and 5-position crown strap offers customized fit and comfort
- No snaps, caps or bands
- High-strength thermoplastic crown provides impact resistance and radiant heat resistance: 170°F (82°C)
- Precision ratchet adjustment for a comfortable, snug fit
- Designed to be used only with 3M™ W-Series faceshields
- Meets the requirements of ANSI Z87.1

PROTECTA™ P200 SAFETY HARNESS | ITEM # 1161571

Vest Style with Pass-Through Leg and Chest Connection, Steel Back D-Ring Placement, Size Medium/Large.

- Polyester web construction provides abrasion resistance and durability while ergonomic design ensures better fit and function
- Features plastic lanyard keepers, lightweight hardware, spring-loaded torso buckles, back D-Ring and built-in impact indicators for easy inspection
- Max weight capacity: 420 lbs.
- Meets OSHA 1926.502 regulations and ANSI Z359.11 standards







PROTECTA™ PRO™ STRETCH WEB SHOCK-ABSORBING **LANYARDS** | ITEM # 1340101, 1340161

Red Color, 6' Length, Polyester Webbing Jacket Material, Steel Snap Hook or Rebar Hook Lifeline Connector and Steel Snap Hook Unit Connector, ANSI A10.32, Available in Single-Leg and Twin-Leg Options.

- Secure and durable energy-absorbing, stretch lanyard with 2" tubular jacket
- Expands to 6' and contracts to 4 1/2'
- Polyester webbing
- Meets or exceeds OSHA 1926 regulation
- Max weight capacity: 310 lbs.



20 PHONE ORDER: 800-548-GARD (4273) • FAX: 888-548-GARD (4273) EMAIL: sales@saftgard.com • www.saftgard.com







TYVEK® 400 LAB COAT ITEM # TY-212SWH

White Color, Serged Seams, Laydown Collar and Open Wrists, Sizes Small-7XL.









CLICK HERE FOR A QUICK VIDEO!

- 2 front pockets for holding writing instruments, small tools, or parts
- Front snap closures for easy donning and doffing

TYVEK® 400 SLEEVES | ITEM # TY-500SWH

White Color, Serged Seams, 18" Length, One Size Fits Most.



- 100% flashspun high-density polyethylene breathable nonwoven fabric, only by DuPont
- Offers inherent barrier protection and durability even after wear and abrasion
- Features elastic at both ends (bicep and wrist) for arm protection

TYVEK® 400 BOOT COVERS | ITEM # TY-454SWH

White Color, Serged Seams, 18" Length, One Size Fits Most.



- 100% flashspun high-density polyethylene breathable nonwoven fabric, only by DuPont
- Offers inherent barrier protection and durability even after wear and abrasion
- Elastic top provides coverage up to calf





TYVEK® 400 COVERALLS | ITEM # TY-120SWH

White Color, Serged Seams, Laydown Collar, Open Wrists and Ankles, Storm Flap, Sizes Medium-7XL.



- 100% flashspun high-density polyethylene breathable nonwoven fabric, only by DuPont
- Offers inherent barrier protection and durability even after wear and abrasion
- Comfort-fit design enables greater range of movement and a more tailored fit
- Utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment
- Pin locking slider locks in place when the pins on the puller are pushed into the zipper elements

TYVEK® 400 D COVERALLS | ITEM # TD-127SWB

White (Front)/Blue (Back) Color, Serged Seams, Respirator Fit Hood, Elastic Wrists and Ankles, Storm Flap, Sizes Medium-4XL.



- Combines protection, durability, and comfort of Tyvek® fabric on front and comfort, softness, and breathability of ProShield® 10 fabric on back
- Provides a more tailored fit and offers reinforcement in high-stress areas for fewer blowouts
- Utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the coveralls
- Pin locking slider locks in place when the pins on the puller are pushed into the zipper elements











TYCHEM® COVERALLS | ITEM # QC-127SYL

Yellow Color, Serged Seams, Standard Fit Hood, Elastic Wrists and Ankles, Storm Flap, Sizes Medium-6XL.





- Utilizes the strength of DuPont™ Tyvek® fabric and a polyethylene coating
- Provides at least 30 minutes of protection against 42 chemical challenges
- Pin locking slider locks in place when the pins on the puller are pushed into the zipper elements

TYCHEM® 2000 COVERALLS | ITEM # QC-122SYL

Yellow Color, Serged Seams, Standard Fit Hood, Elastic Wrists, Attached Socks, Storm Flap, Sizes Medium-6XL.



- Utilizes the strength of DuPont™ Tyvek® fabric and a polyethylene coating
- Provides at least 30 minutes of protection against 42 chemical challenges
- Pin locking slider locks in place when the pins on the puller are pushed into the zipper elements



TYCHEM® 10000 ENCAPSULATED LEVEL A SUIT, FRONT ENTRY | ITEM # TK-554TLY




Lime Yellow Color, Double Taped Seams, Expanded Back, Front Entry, Extra-Wide, Anti-Fog, 3-Layer Faceshield: 40-Mil PVC / 5-Mil Teflon™ / 20-Mil PVC, Attached Dual Layer Gloves, Internal: Multi-Layer Laminate/External: Butyl, Attached Socks with Outer Boot Flaps, Double Storm Flap with Hook and Loop Closure, 2 Exhaust Valves, Sizes Medium-4XL.

- Provides highest level of protection from liquid splash and vapor/gas exposures for both the wearer and respiratory equipment
- Front entry design allows wearer to partially don garment (maintain standby position) without assistance, and expanded back accommodates self-contained air breathing apparatus (SCBA)
- Vapor tight zipper is extra-long to increase garment opening and aid donning and doffing
- 2 exhaust valves release higher pressure inside encapsulating garments while simultaneously helping to prevent inward leakage of external vapors or particles into the garment
- For use in industrial, hazmat, and domestic preparedness applications

TYCHEM® 10000 ENCAPSULATED LEVEL A SUIT, REAR ENTRY | ITEM # TK-555TLY

Lime Yellow Color, Double Taped Seams, Expanded Back, Rear Entry, Extra-Wide, Anti-Fog, 3-Layer Faceshield: 40-Mil PVC / 5-Mil Teflon™ / 20-Mil PVC, Attached Dual Layer Gloves, Internal: Multi-Layer Laminate/External: Butyl, Attached Socks with Outer Boot Flaps, Double Storm Flap with Hook and Loop Closure, 2 Exhaust Valves, Sizes Medium-4XL.



- Rear entry design keeps closure away from direct contact with frontal chemical exposure and provides ability to change air bottle on SCBA without removing the entire garment, and expanded back accommodates self-contained air breathing apparatus (SCBA)
- Vapor tight zipper is extra-long to increase garment opening and aid donning and doffing
- 2 exhaust valves release higher pressure inside encapsulating garments while simultaneously helping to prevent inward leakage of external vapors or particles into the garment
- For use in industrial, hazmat, and domestic preparedness applications







SHOWA's revolutionary Eco Best Technology® (EBT) is engineered for accelerated biodegradation in biologically active landfills and is completely eco-friendly, breaking down by 82% in just 386 days when tested in a laboratory.





2.5-MIL DISPOSABLE GLOVES | ITEM # 7502PF


Blue Color, Nitrile Material, Biodegradable, Rolled Cuff, Textured Fingertips, Reversible Design, Powder-Free, 9 1/2" Length, 21 CFR / FDA Compliant for Direct Food Contact, Sizes XS-2XL.



For use in intricate parts handling, biotechnology, pet food production, washing and cleaning and laboratory, pharma, and analysis applications

4-MIL DISPOSABLE GLOVES | ITEM # 7500PF

Blue Color, Nitrile Material, Biodegradable, Rolled Cuff, Textured Fingertips, Reversible Design, Powder-Free, 9 1/2" Length, 21 CFR / FDA Compliant for Direct Food Contact, Sizes XS-2XL.







4-MIL DISPOSABLE GLOVES | ITEM # 6110PF

Green Color, Nitrile Material, Biodegradable, Rolled Cuff, Textured Fingertips, Reversible Design, Powder-Free, 9 1/2" Length, Low Modulus, 21 CFR / FDA Compliant for Direct Food Contact, Sizes XS-2XL.




For use in automotive repairs and maintenance, intricate parts handling, food packing and handling, food service/food prep, brewers and distillers, fruit and vegetable processing, washing and cleaning, and laboratory, pharma, and analysis applications



4-MIL DISPOSABLE GLOVES | ITEM # 6112PF

Black Color, Nitrile Material, Biodegradable, Rolled Cuff, Textured Fingertips, Reversible Design, Powder-Free, 9 1/2" Length, Low Modulus, 21 CFR / FDA Compliant for Direct Food Contact, Sizes XS-2XL.









4-MIL DISPOSABLE GLOVES | ITEM # 7700PFT

Black Color, Nitrile Material, Accelerator-Free, Rolled Cuff, Bisque Fingertips Finish, Reversible Design, Powder-Free, 9 1/2" Length, Low Modulus, 21 CFR / FDA Compliant for Direct Food Contact, Sizes Small-XL.



For use in automotive repairs and maintenance, light assembly of oil-coated pieces, painting and spray workshops, food packing and handling, food service/ food prep, veterinary, planting and repotting, and public utility applications





The World's First Accelerator-Free Single-Use Glove





4-MIL DISPOSABLE GLOVES

ITEM # 7705PFT


Green Color, Nitrile Material, Accelerator-Free, Rolled Cuff, Bisque Fingertips Finish, Reversible Design, Powder-Free, 9 1/2" Length, Low Modulus, 21 CFR / FDA Compliant for Direct Food Contact, Sizes Small-XL.



For use in handling plants and vegetables, painting and spray workshops, life sciences, pharmaceuticals and API, fruit and vegetable processing, grain, mill and starch products, poultry, meat and seafood processing, and public utility applications

6-MIL DISPOSABLE GLOVES

ITEM # 9700PF







For use in automotive repairs and maintenance, intricate parts handling, light assembly of oil-coated pieces, food packing and handling, food service/food prep, sanitation and dishwashing, biotechnology, and cytostatics applications



6-MIL DISPOSABLE GLOVES

ITEM # 9905PF


Blue Color, Nitrile Material, Rolled Cuff, Bisque Fingertips Finish, Reversible Design, Powder-Free, 11" Length, 21 CFR / FDA Compliant for Direct Food Contact, Sizes XS-XL.



For use in food packing and handling, washing and cleaning, public utility, pharmaceuticals, and API applications

8-MIL DISPOSABLE GLOVES

ITEM # 8005PF





For use in painting and spray workshops, food packing and handling, food service/food prep, fruit and vegetable processing, pet food production, poultry, meat and seafood processing, washing and cleaning, public utility, and biotechnology applications







HYFLEX® POLYURETHANE COATED CUT-RESISTANT GLOVES | ITEM # 11-644





HyFlex 11-644

ANSI/ISEA 105-2024

13-Gauge White HPPE, Nylon, and Spandex Blended Shell, Gray Polyurethane Palm Coating, Sizes 5-12.



- INTERCEPT™ Cut Resistance Technology helps achieve EN ISO B/ANSI A2 laceration defenses
- Polyurethane coating remains both maneuverable and hard-wearing over time Ergonomic fit and low palm weight



For use in automotive, machinery/equipment, metal fabrication, utilities, and warehouse applications

HYFLEX® NITRILE COATED CUT-RESISTANT GLOVES ITEM # 11-561

15-Gauge Dark Blue Nylon, HPPE, Basalt, Spandex, and Polyester Blended Shell, Gray Nitrile Palm Coating, Sizes 5-12.

- Ultra-lightweight design
- Developed with INTERCEPT™ Cut Resistance Technology for reliable protection
- Improved FORTIX™ Technology delivers up to 20% more abrasion resistance
- Nitrile palm-dipped coating improves grip
- For use in automotive, machinery and equipment, metal fabrication, mining, oil and gas, and automotive aftermarket industry applications



CLICK HERE FOR A QUICK VIDEO!



HYFLEX® LOW DMF POLYURETHANE COATED CUT-RESISTANT GLOVES | ITEM # 11-645

ANSI/ISEA

105-2024

A3



ANSI/ISEA 105-2024

13-Gauge Dark Gray Ansell INTERCEPT™ Technology Shell, Black Low DMF Polyurethane Palm Coating, Sizes 5-12.

- Developed with INTERCEPT™ Cut Resistance Technology for reliable protection
- Grant superior fit and feel with powerful EN ISO CUT D and ANSI/ISEA 105-2024 Cut Level A4 protection
- Polyurethane coating affords superb durability
- Silicone-free for reduced contamination risk
- For use in automotive, machinery and equipment, and metal fabrication industry applications

HYFLEX® NITRILE COATED CUT-RESISTANT GLOVES

15-Gauge Gray HPPE, Carbon, Nylon, and Spandex Blended Shell, Black Nitrile Palm Coating, Sizes 5-12.

- Ultra-lightweight design
- Developed with INTERCEPT™ Cut Resistance Technology for reliable protection
- Improved FORTIX™ Technology delivers up to 20% more abrasion resistance
- For use in automotive, machinery and equipment, metal fabrication, and aerospace industry applications





CLICK HERE FOR A QUICK VIDEO!







MICROFLEX® XCEED® 3-MIL DISPOSABLE GLOVES ITEM # XC-310




Blue Color, Nitrile Material, Standard Cuff, Textured Fingers, Reversible Design, Powder-Free, 9 1/2" Length, 21 CFR / FDA Compliant for Direct Food Contact, Sizes XS-XL.




- Stronger formulation protects against rips and tears while keeping the same tactile sensitivity
- Proprietary ergonomic design technology supports musculoskeletal health
- Low 0.65 AQL offers advanced barrier integrity
- For use in automotive aftermarket, food processing, life sciences, healthcare, agriculture, emergency medical services, utilities, and warehousing industry applications

MICROFLEX® EXTENDED LENGTH 4.7-MIL DISPOSABLE GLOVES | ITEM # 93-243







- Manufactured without chemical accelerators, helping to protect users from Type IV skin allergies
- Textured palm and fingers result in a more confident, secure grip of instruments and glassware
- For use in food processing and life sciences industry applications



TOUCHNTUFF® 5-MIL DISPOSABLE GLOVES | ITEM # 92-600

105-2024

Green Color, Nitrile Material, Standard Cuff, Smooth Finish, Reversible Design, Powder-Free, 9 1/2" Length, 21 CFR / FDA Compliant for Direct Food Contact, Sizes Small-XL.



- Made with TNT™ Chemical Splash Resistance Technology to safeguard hands from harmful chemicals
- Super soft nitrile provides a comfortable feel during extended wear
- Proprietary formulation is extra-strong to prevent tearing during heavy-duty work
- Silicone-free to prevent contaminant transfer that causes flaws in paints, coatings and finishes
- For use in life sciences, food processing, automotive, machinery and equipment, chemical, agriculture, utilities, and warehousing industry applications

ALPHATEC® 13-MIL CHEMICAL-RESISTANT GLOVES | ITEM # 58-530B, 58-535B

Green/Gray Color, Nitrile Material, Gauntlet Cuff, Ansell Grip™ Technology Finish, Supported, 11 2/5" and 13 2/5" Lengths, Sizes 8-11. ANSI/ISEA

- Ansell Grip™ coating means less force is needed for handling wet or oily parts
- Black acrylic inner liner enhances comfort while facilitating outdoor application
- Bonded construction ensures EN 374 Type A chemical protection
- Possess EN 407 contact heat level 1, preventing workplace injuries
- For use in automotive, automotive aftermarket, machinery and equipment, metal fabrication, chemical, agricultural, emergency medical services, food processing, and oil and gas industry applications









LEATHER DRIVER'S GLOVES

ITEM # 8583K



White Premium Grain Goatskin Leather with Shirred Elastic Back and Keystone Thumb, Cut and Sewn Aramid/Glass/Steel Fiber Fabric Lining, ANSI/ISEA 105-2024 Cut Level A5, ANSI/ISEA 105-2024 Abrasion Level 4, ANSI/ISEA 105-2024 Puncture Level 3, Size Medium-3XL.

- Goatskin leather is preferred where tactile sensitivity is required and provides excellent tensile strength and abrasion resistance
- For use in construction, steel work, agriculture, and metal fabrication applications

HAZMAT-NUKE BOOTS | ITEM # LBC10

Yellow Color, 12", Natural Rubber Latex, Unlined, Over-Shoe Style, Textured/Ribbed Sole, Sizes Small-3XL.

- 0.75 mm upper, 1.13 mm sole
- Safe for food contact
- For use in protection against acids, alcohols, and water-based chemical applications





CORE-BRITE® TYPE R CLASS 2 SAFETY VEST | ITEM # VZ261P

Hi-Viz Lime Color, Polyester Mesh Material with 2" Silver Reflective Tape, 2 Pockets, Sizes Small-4XL.

- 2 pockets with 1 on the lower inside and second on the outside chest
- Zipper closure for easy wear and removal

DEFENDER™ COVERALLS | ITEM # CPH

White Color, Serged Seams, Elastic at Hood, Wrists, and Ankles, Zipper Font, Sizes Medium-5XL.

- Constructed of tough, composite fabric that combines breathable microporous film and soft nonwoven polyolefin
- Provides an effective barrier against particulates, aerosols, and liquids
- For use in agriculture, mold remediation, asbestos and lead abatement, pharmaceuticals, clinics, hospitals, food processing, and pesticides applications



TACTYLE CR™ NITRILE COATED CUT-RESISTANT GLOVES



21-Gauge Black HPPE/Tungsten Steel Shell, Black TUF-COR™ Nitrile Palm Coating, ANSI/ISEA 105-2024 Cut Level A7, ANSI/ISEA 105-2024 Abrasion Level 3, ANSI/ISEA 105-2024 Puncture Level 4, Sizes Small-2XL.



- Enjoy the comfort of the ultra-light shell while still receiving ANSI/ISEA 105-2024 Cut Level A7 protection
- Touchscreen fingertips, reinforced thumb crotch, and Sanitized® treatment
- For use in glass handling, recycling operations, plastic extrusion, and metal fabrication applications









AIRWAVE® DISPOSABLE RESPIRATOR

ITEM # M4620

Unvalved N95 Particulate, Non-Oil with SmartStrap® and Full Foam Flange, Metaland PVC-FREE, Size Medium/Large.







CLICK HERE FOR A QUICK VIDEO!

- Exclusive easy-breathing wave design
- Dura-Mesh® shell resists collapsing in heat and humidity
- Can be used against most welding fumes
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2009 Section 7.11.1

TOUCHFREE ECOSTATION® STARTER KITS

ITEM # 6835, 6831, 6833, 6837

Disposable, Uncorded, PVC-FREE, Available in Pura-Fit®, Softies®, SparkPlugs®, and Meteors® styles, all NRR 33 dB.

- First ever hands-free solution for earplug dispensing
- Built-in sensor recognizes when a hand is underneath and dispenses a pair of earplugs
- The most hygienic way to dispense earplugs
- Battery operated easy to install with no wiring needed
- Free standard mounting bracket included



CLICK HERE FOR A QUICK VIDEO!







SPARKPLUGS® METAL DETECTABLE EARPLUGS

ITEM # 6615

Disposable, Corded, PVC-FREE, Metal Detectable, Exclusive Colored Streaks and Swirls, NRR 33 dB.

- Shaped to fit even very small ear canals
- Non-irritating smooth surface
- Corded and bright blue specifically for food processing
- The plug and cord are independently detectable for added safety
- Comfort and ease of use for higher compliance

SPARKPLUGS® PLUGSTATION® EARPLUG DISPENSER

ITEM # 6645

Disposable, Uncorded, PVC-FREE, Exclusive Colored Streaks and Swirls, NRR 33 dB.

- Gives workers easy access to hearing protection and earplugs stay hygienic until time of use
- Hi-Viz to increase awareness for your hearing conservation program
- Extra-soft, low-pressure non-irritating foam for comfort and fit
- Tapered shape for easy insertion and removal







PMXTREME® SAFETY GLASSES | ITEM # SB6310SP, SB6320SP,

SB6330SP, SB6370SP, SB6380SP, SB6310STP, SB6320STP

Available in Clear, Gray, Amber, Silver, and I/O Mirror Lens Colors in No Anti-Fog or Standard Anti-Fog Coating Options.

- Stylish, ergonomic frame combines with sleek polycarbonate lenses for the ultimate in protection and style
- Ventilated straight-back flexible temples with rubber temple tips to keep evewear secure
- Built-in rubber nosepiece for all-day comfort
- Includes black lanyard cord
- Meets ANSI Z87.1 High Impact standard



EVER-LITE® SAFETY GLASSES | ITEM # SB8610D, SB8620D, SB8660D, SB8665D, SB8610DTM, SB8620DTM, SB8660DTM, SB8625DTM

Available in Clear, Gray, Infinity Blue, Ice Blue Mirror, and Light Gray Lens Colors in No Anti-Fog or H2MAX Anti-Fog Coating Options.

- Soft nosepiece for snug fit
- Slim co-injected temple design for lightweight spectacle weighs only 22 gm
- Offers a clear panoramic view without obstruction
- 8-Base wraparound frame provides full front and side protection
- Scratch-resistant, polycarbonate lens provides 99.9% UV protection
- Meets ANSI Z87.1 High Impact standard



CLICK HERE FOR A QUICK VIDEO!

VENTURE II® READER SAFETY GLASSES | ITEM # SB1810R10, SB1810R15, SB1810R20, SB1810R25, SB1810R30, SB1820R15, SB1820R20, SB1820R25, SB1820R30, SB1830R15, SB1830R20, SB1830R25, SB1880R15, SB1880R20, SB1880R25

Available in Clear, Gray, Amber, and I/O Mirror Lens Colors with Anti-Scratch Coating in Diopters Ranging from +1.0 - +3.0.

- Polycarbonate lens provides 99% UV protection
- Temples adjust to 4 different lengths
- Nose buds secure the glass and prevent slipping
- Meets ANSI Z87.1 High Impact standard



RIDGELINE® BUMP CAPS | ITEM # HP40010, HP40020, HP40030, HP40035, HP40060

HDPE Shell with Replaceable Polyester Fabric and Polyurethane Foam Sweatband, 4-Point Glide Lock Suspension, Ventilation Holes, Available in White, Red, Yellow, Green, and Blue Colors.



NOW

- Perfect for applications where hard hats are not required, but some protection from minor bumps and scalp lacerations are needed
- This cap is not designed to meet ANSI Z89.1-2009 Class C, G, and E; standards for industrial head protection
- The shell is made of HDPE which makes it lightweight and durable
- The suspension is also made from HDPE and is adjustable with swing and ratchet








ALTAIR IO™ 4 GAS DETECTOR I ITEM # 10245598

Cellular Connected Wearable Gas Monitor for General Combustible 0-100% LEL, O2, CO, and H2S, Includes Charger, and 4-Year Access to Starter Grid.





Patented, rugged sensor technology that leads the industry in response time and lifetime, military-grade durability, and the ability to survive a 25 ft. (7.6 m) drop test



Features and functionality routinely released to improve your safety program



CLICK HERE FOR A QUICK VIDEO!

V-GARD H2™ TYPE II SAFETY HELMETS WITH MIPS® I ITEM # 10242813. 10242814, 10242815, 10242816, 10242817, 10242818, 10242819, 10242820, 10242821

ABS Shell with EPS Foam Liner, Ratchet Suspension, 4-Point Chin Strap, Vented, Available in White, Black, Yellow, Blue, Gray, Orange, Red, Green, and Hi-Viz Yellow Colors.

- Mips[®] brain protection is designed to reduce the risk of brain trauma by redirecting rotational energies in the event of certain angled impacts
- Antimicrobial treatment of sweatband, crown pad, and ratchet pad with lonic+ high purity silver to eliminate odor-causing bacteria
- Vented (Class C) for improved airflow (Non-Vented for Class E electrical rating is available upon request)
- Logo and reflective striping customization available
- Extensive accessory compatibility with nearly all V-Gard H1 and V-Gard accessories for a wide variety of industrial applications and easy integration with existing inventory



V-FIT™ SAFETY HARNESS | ITEM # 10194630

Vest Style with Quick-Connect Leg and Chest Connection, Aluminum Back D-Ring Placement, Shoulder Padding, Standard Size.

- The athletic cut of the V-FIT™ harness contours to the body improving upper torso movement on the job
- Using a patent-pending RaceFLEX™ connection, webbing is routed across the chest for a secure and comfortable fit
- Pull-down adjustment allows you to quickly and easily get the right fit
- Dedicated attachment point for Personal Fall Limiters allows for quick and easy attachment
- Shoulder padding responds to your movement to conform to your body, eliminating pressure points and chafing
- Additional configurations available upon request
- Max weight capacity: 400 lbs.



CLICK HERE FOR A QUICK VIDEO!



V-SHOCK® EDGE LEADING EDGE PERSONAL TWIN-LEG PERSONAL FALL LIMITER (PFL) | ITEM # VSLEW-012-PH-A

Green Color, 6' Length, HMPE/Para Aramid Blend Lifeline Material, Nylon Housing, Aluminum Snap Hook Lifeline Connector and Aluminum Locking Pin Unit Connector, ANSI Z359.14 Class 2.

- Color-coding and icons to communicate critical product attributes—specifically leading edge versus non-leading edge use
- Additional configurations available upon request
- Max weight capacity: 310 lbs.











MAXKNEE KNEE PADS ITEM # 7102-GEL, 7102



Navy Color, Heavy-Duty Abrasion-Resistant Cap, Standard Size.

- Perfect for kneeling on rough abrasive surfaces
- Excellent for any application that demands maximum performance
- Features a hard cap with or without Silica gel pad insert
- Includes 2 fully adjustable comfortable elastic straps that connect with hook and loop closures

16" X 25' STATICALLY CONDUCTIVE DUCTING

ITEM # 9600-25EX

Black Color, Single Ply Neoprene Coated Vinyl and Polyester Anti-Static Materials.



- Designed for maximum air handling capabilities with dual direction flow and low friction loss, while providing a safe positive means of discharging static build-up
- Temperature resistance up to 250°F
- This ducting is integrated with extended solid grounding wire at each end
- Meets ASTM Specs and UL-94-VO requirements
- Rated to 100,000 OHMS or less per square inch





8" AC PLASTIC BLOWER WITH COMPACT CANISTER AND 25' DUCTING

ITEM # 9533-25

Safety Orange Color, UV- and Chemical-Resistant Polyethylene Housing and Canister Assembly, 30 lbs., 831 CFM Free Air, 709 CFM 1 90° Turn, 586 CFM 2 90° Turns, 115V-230V AC, 50/60 Hz, Single Ply PVC Coated Vinyl and Polyester Ducting Materials.

- This lightweight unit is designed with the quick-connect clipping system which allows workers to attach the canister, tools-free, to the input side for powerful extraction or output side for ventilation
- The ducting stores conveniently within the canister
- Special design features include blower and canister built-in carry handles, built-in On/Off switch and "safety" orange coloration

8" X 25' DUCTING | ITEM # 9500-25

Black/Yellow Color, Single Ply PVC Coated Vinyl and Polyester Materials.



- Lightweight and retractable, this ducting is designed for maximum air handling capabilities and built for dual direction flow with minimum friction loss
- The non-collapsible design and yellow with black weather strip for visibility on the job, also meets ASTM 227 specs
- Ducting provides temperature resistance up to 180°F



31

PHONE ORDER: 800-548-GARD (4273) • FAX: 888-548-GARD (4273) EMAIL: sales@saftgard.com • www.saftgard.com





FLITE® SAFETY TOE KNEE BOOT

ITEM # 26256

Blue/Red Color, 15" Height, Aerex 1.5.5® Material, 100% Liquid Proof, Chevron-Plus® Nitrile Rubber Outsole, Composite Safety Toe, Sizes 4-14.








CLICK HERE FOR A QUICK VIDEO!

- Slip resistant per ASTM F3445, the standard specification as of July 2021
- Aerex 1.5.5® material is 40% lighter for unbeatable all-day comfort
- Beveled heel for reduced back and leg strain
- ASTM F1671: Achieved a passing result for resistance to viral penetration
- Composite safety toe meets ASTM F2413 M/I/C EH and will not set off metal detectors

JOB SIGHT™ TYPE R CLASS 2 BLACK FRONT T-SHIRT | ITEM # \$75122

Fluorescent Yellow-Green/Black Color, 4.18 oz. 100% Birds Eye Polyester Material with 2" Silver Reflective





- ANSI/ISEA 107 Type R Class 2 compliant t-shirt for high visibility
- Birds Eye polyester moisture management fabric wicks perspiration away from the body to help keep you cooler and more comfortable
- 2" silver reflective tape reflects light for 360° nighttime conspicuity







ECLIPSE™ TYPE R CLASS 3 JACKET | ITEM # J44122

Fluorescent Yellow/Green Color, 11.3 oz. FR PVC on Nonwoven Nomex® Material with 2" Silver Reflective Tape, 100% Liquid Proof, 8.7 cal/cm², 3-Piece Hood, Full-Vented Cape Back, Zipper Storm Fly Front, Sizes Small-5XL.



- ANSI/ISEA 107 Type R Class 3 compliant jacket for high visibility
- Conforms to ASTM F1891 for Arc Thermal Performance and NFPA 70E
- Conforms to ASTM 2733 for Flash Fire Performance
- Average predicted total burn area < 9.5%
- Non-conductive, non-corrosive hardware

BOOT SAVER® DISPOSABLE SHOE COVERS **ITEM # 6336**

Blue Color, Natural Rubber Latex Material, 100% Liquid Proof, Sizes Medium-2XL.

- Textured outsole provides grip on both wet and dry surfaces
- Powder-free finish eliminates concerns about powder contamination on clothing, footwear, foods, and food-contact surfaces
- High quality, natural rubber latex stretches easily over boots while remaining resistant to snags, tears and abrasion
- Ambidextrous each cover fits both right and left feet
- Achieved a passing result for ASTM F1671 resistance to viral penetration







PHONE ORDER: 800-548-GARD (4273) • FAX: 888-548-GARD (4273) EMAIL: sales@saftgard.com • www.saftgard.com







OPTIMUM EMERGENCY EYEWASH SYSTEM

ITEM # REW01112, REWSTAND, REWCART

Comprised of a 12-Gal Gravity-Fed Portable Emergency Eyewash Station, a Durable Metal Eyewash Tank Stand, and a 16-Gal Capacity Plastic Eyewash Drain Cart, Each Sold Separately.



REW01112 features a Hi-Viz green color for easy recognition if an injury occurs, delivers at least 15 minutes of flow to meet the ANSI Z358.1 Standard, and includes a capture-and-drain design for minimized spillover

REWSTAND includes a simple 6-bolt assembly, is easy to install and relocate, and supports a 16-Gal tank full of water at the ANSI-required height

REWCART includes an ergonomic design and molded wheels on steel axle to make it easy to roll outdoors as well as a bottom drain that fits standard water hose



CLICK HERE FOR A QUICK VIDEO!

DEWALT TYPE II CLIMBING SAFETY HELMETS

ITEM # DPG22/S, DPG22/W, DPG22/Y, DPG22V/S, DPG22V/W, DPG22V/Y

Polycarbonate/ABS Shell with EPS Foam Liner, Ratchet Suspension, 4-Point Retention Straps, Available in Non-Vented and Vented Styles in Slate, White, and Yellow Colors.

- Designed for protection and comfort and provide the highest level of impact protection on the market
- Non-vented style is Class E and vented style is Class C
- Includes a leatherized chin strap and accessory slots for adding hearing protection or visors



CLICK HERE FOR A QUICK VIDEO!





POLYURETHANE COATED CUT-RESISTANT GLOVES

ITEM # RWG588

18-Gauge Blue HPPE Blended Shell, Gray Polyurethane Palm Coating, ANSI/ISEA 105-2024 Cut Level A8, ANSI/ISEA 105-2024 Abrasion Level 4, ANSI/ISEA 105-2024 Puncture Level 4, Sizes XS-2XL.



- Blend of HPPE and nickel gold wire creates a strong outer shell
- Polyurethane palm dip delivers excellent dexterity and abrasion resistance
- Provides excellent abrasion resistance, a comfortable fit for prolonged use, and cut resistance
- Touchscreen capable

SANDY FOAM NITRILE COATED CUT-RESISTANT GLOVES | ITEM # RWG589

18-Gauge Gray HPPE Blended Shell, Black Sandy Foam Nitrile Palm Coating, ANSI/ISEA 105-2024 Cut Level A9, ANSI/ISEA 105-2024 Abrasion Level 6, ANSI/ISEA 105-2024 Puncture Level 4, Sizes XS-2XL.



- Blend of HPPE and nickel gold wire creates a strong outer shell
- Touchscreen capable
- Sandy foam nitrile palm dip provides excellent grip in wet or dry applications and a comfortable fit for prolonged use









PROTECTING THE **WORLD'S WORKERS**



by Providing Quality Protective Solutions for the Most **Critical Situations**



SHOP PROTECTIVE APPAREL

